












Street Solar Lights	Landscape Solar Lights	Buildings Solar Lights	Garden Solar Lights																				
Street Solar Lights series																							
Item No.	Photo	Features & Specifications	Details																				
Series 1																							
<p>Main Features:</p> <ol style="list-style-type: none"> lighting modes : 100% 5h+20% till dawn ALS2.1 (Adaptive lighting system) tech for All Night Lighting even in Cloudy or Rainy Day, support over 7 nights lighting even in rainy days. Patent FAS (False Alert System) technology identify the defect part by LED fast flashing, making maintenance simply and low cost. (4 LED indicator to 5 part: clean function, LED, Battery, PCBA, and solar panel, once the one of the 5 part has problem, the corresponding LED will flash fast to remind you) 4 LED indicator to remind battery power: 4 LED is 100%, 3 LED is 80%, 2 LED is 60%, 1 LED is 30% power. so can know how many power left in battery and give client better experience. Temperature control system to protect battery from Low and high temperature damage and extend battery lifespan. Can stand temperature to -20°C to 65°C. Automatic dust sweeping and snow cleaning, clean the solar panel automatically every 6 hours in case solar panel charging efficiency lowered by dust, sand or snow. According to our test, charging efficiency can increase 32% compared with those don't have clean function. 																							
Model-72		<table border="1"> <tr><td>LED</td><td>4000lm</td></tr> <tr><td>Li-ion Battery</td><td>269.36Wh/14.8V</td></tr> <tr><td>Solar Panel</td><td>35.7W/16V</td></tr> <tr><td>Install Height</td><td>4m</td></tr> <tr><td>Waterproof</td><td>IP65</td></tr> <tr><td>Solar Charging Time</td><td>10 hours by bright sunlight</td></tr> <tr><td>Lighting Time</td><td>7 Nights +</td></tr> <tr><td>Material</td><td>Aluminum alloy+PC</td></tr> <tr><td>Size</td><td>903 x 410 x 104mm</td></tr> <tr><td>Warranty</td><td>3 Years</td></tr> </table>	LED	4000lm	Li-ion Battery	269.36Wh/14.8V	Solar Panel	35.7W/16V	Install Height	4m	Waterproof	IP65	Solar Charging Time	10 hours by bright sunlight	Lighting Time	7 Nights +	Material	Aluminum alloy+PC	Size	903 x 410 x 104mm	Warranty	3 Years	<p style="text-align: center;">Main Function:</p> <ol style="list-style-type: none"> lighting modes : 100% 5h+20% till dawn ALS2.1 +FAS + TCS Technology for All Night Lighting even in Cloudy or Rainy Day. Application : Street /Roadway /pathway /Parking Lot /Private road /Sidewalk /Public square Automatic dust sweeping and snow cleaning
LED	4000lm																						
Li-ion Battery	269.36Wh/14.8V																						
Solar Panel	35.7W/16V																						
Install Height	4m																						
Waterproof	IP65																						
Solar Charging Time	10 hours by bright sunlight																						
Lighting Time	7 Nights +																						
Material	Aluminum alloy+PC																						
Size	903 x 410 x 104mm																						
Warranty	3 Years																						
Model-73		<table border="1"> <tr><td>LED</td><td>6000lm</td></tr> <tr><td>Li-ion Battery</td><td>384.8Wh/14.8V</td></tr> <tr><td>Solar Panel</td><td>47.5W/16V</td></tr> <tr><td>Install Height</td><td>6m</td></tr> <tr><td>Waterproof</td><td>IP65</td></tr> <tr><td>Solar Charging Time</td><td>10 hours by bright sunlight</td></tr> <tr><td>Lighting Time</td><td>7 Nights +</td></tr> <tr><td>Material</td><td>Aluminum alloy+PC</td></tr> <tr><td>Size</td><td>1109 x 410 x 104mm</td></tr> <tr><td>Warranty</td><td>3 Years</td></tr> </table>	LED	6000lm	Li-ion Battery	384.8Wh/14.8V	Solar Panel	47.5W/16V	Install Height	6m	Waterproof	IP65	Solar Charging Time	10 hours by bright sunlight	Lighting Time	7 Nights +	Material	Aluminum alloy+PC	Size	1109 x 410 x 104mm	Warranty	3 Years	<p style="text-align: center;">Main Function:</p> <ol style="list-style-type: none"> lighting modes : 100% 5h+20% till dawn ALS2.1 +FAS + TCS Technology for All Night Lighting even in Cloudy or Rainy Day. Application : Street /Roadway /pathway /Parking Lot /Private road /Sidewalk /Public square Automatic dust sweeping and snow cleaning
LED	6000lm																						
Li-ion Battery	384.8Wh/14.8V																						
Solar Panel	47.5W/16V																						
Install Height	6m																						
Waterproof	IP65																						
Solar Charging Time	10 hours by bright sunlight																						
Lighting Time	7 Nights +																						
Material	Aluminum alloy+PC																						
Size	1109 x 410 x 104mm																						
Warranty	3 Years																						
Model-74		<table border="1"> <tr><td>LED</td><td>8000lm</td></tr> <tr><td>Li-ion Battery</td><td>538.72Wh/14.8V</td></tr> <tr><td>Solar Panel</td><td>64W/16V</td></tr> <tr><td>Install Height</td><td>8m</td></tr> <tr><td>Waterproof</td><td>IP65</td></tr> <tr><td>Solar Charging Time</td><td>10 hours by bright sunlight</td></tr> <tr><td>Lighting Time</td><td>7 Nights +</td></tr> <tr><td>Material</td><td>Aluminum alloy+PC</td></tr> <tr><td>Size</td><td>1387 x 410 x 104mm</td></tr> <tr><td>Warranty</td><td>3 Years</td></tr> </table>	LED	8000lm	Li-ion Battery	538.72Wh/14.8V	Solar Panel	64W/16V	Install Height	8m	Waterproof	IP65	Solar Charging Time	10 hours by bright sunlight	Lighting Time	7 Nights +	Material	Aluminum alloy+PC	Size	1387 x 410 x 104mm	Warranty	3 Years	<p style="text-align: center;">Main Function:</p> <ol style="list-style-type: none"> lighting modes : 100% 5h+20% till dawn ALS2.1 +FAS + TCS Technology for All Night Lighting even in Cloudy or Rainy Day. Application : Street /Roadway /pathway /Parking Lot /Private road /Sidewalk /Public square Automatic dust sweeping and snow cleaning
LED	8000lm																						
Li-ion Battery	538.72Wh/14.8V																						
Solar Panel	64W/16V																						
Install Height	8m																						
Waterproof	IP65																						
Solar Charging Time	10 hours by bright sunlight																						
Lighting Time	7 Nights +																						
Material	Aluminum alloy+PC																						
Size	1387 x 410 x 104mm																						
Warranty	3 Years																						
Model-75		<table border="1"> <tr><td>LED</td><td>10000lm</td></tr> <tr><td>Li-ion Battery</td><td>654.16Wh/14.8V</td></tr> <tr><td>Solar Panel</td><td>71.4W/16V</td></tr> <tr><td>Install Height</td><td>10m</td></tr> <tr><td>Waterproof</td><td>IP65</td></tr> <tr><td>Solar Charging Time</td><td>10 hours by bright sunlight</td></tr> <tr><td>Lighting Time</td><td>7 Nights +</td></tr> <tr><td>Material</td><td>Aluminum alloy+PC</td></tr> <tr><td>Size</td><td>1523x 410 x 104mm</td></tr> <tr><td>Warranty</td><td>3 Years</td></tr> </table>	LED	10000lm	Li-ion Battery	654.16Wh/14.8V	Solar Panel	71.4W/16V	Install Height	10m	Waterproof	IP65	Solar Charging Time	10 hours by bright sunlight	Lighting Time	7 Nights +	Material	Aluminum alloy+PC	Size	1523x 410 x 104mm	Warranty	3 Years	<p style="text-align: center;">Main Function:</p> <ol style="list-style-type: none"> lighting modes : 100% 5h+20% till dawn ALS2.1 +FAS + TCS Technology for All Night Lighting even in Cloudy or Rainy Day. Application : Street /Roadway /pathway /Parking Lot /Private road /Sidewalk /Public square Automatic dust sweeping and snow cleaning
LED	10000lm																						
Li-ion Battery	654.16Wh/14.8V																						
Solar Panel	71.4W/16V																						
Install Height	10m																						
Waterproof	IP65																						
Solar Charging Time	10 hours by bright sunlight																						
Lighting Time	7 Nights +																						
Material	Aluminum alloy+PC																						
Size	1523x 410 x 104mm																						
Warranty	3 Years																						

Item No.	Photo	Features & Specifications		Details
Model-76		LED	12000lm	<p style="text-align: center;">Main Function:</p> <p>1. lighting modes : 100% 5h+20% till dawn 2. ALS2.1 +FAS + TCS Technology for All Night Lighting even in Cloudy or Rainy Day. Application : Street /Roadway /pathway /Parking Lot /Private road /Sidewalk /Public square 3. Automatic dust sweeping and snow cleaning</p>
		Li-ion Battery	769.6Wh/14.8V	
		Solar Panel	95W/16V	
		Install Height	12m	
		Waterproof	IP65	
		Solar Charging Time	10 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Material	Aluminum alloy+PC	
		Size	1957 x 410 x 104mm	
		Warranty	3 Years	
Series 2				
Main Functions : 1. Central Management System,, remote monitor lighting status easily by APP anytime ,anywhere. such as solar panel&battery charging and discharging, battery power,turn on/off, location,defect alert etc 2. One Gateway control 50pcs street light, communication module receiving date distance up to 1500Meter. Easier to install,operate and more stable compared with Lora and Zigbee 3. Lighting modes : 100% 5h+20% till dawn (can fast ODM Lighting mode according to client need) 4. ALS2.1 (Adaptive lighting system) tech for All Night Lighting even in Cloudy or Rainy Day,support over 7 nights lighting even in rainy days. 5. Temperature control system and battery heating technology to protect battery from high and cold temperature damage.Can stand extreme temperatuer -20°C-- 65°C. 6. Big solar panel and high brightness All-in-one design,no need separated mount for solar panel and light. 7. The adjustable solar panel and LED Panel to increase the charging efficiency and lighting area 8. More professional 2 times lighting distribution for road lighting,wide lighting angle reach 140°				
Model-60		LED	6000 lumens, 72pcs OSRAM chips	<p style="text-align: center;">Main Function:</p> <p>Main Function: 1. Control system developed independently; 2. 3.Simple networking, easy operation on APP and PC; 3.Cloud Service: Provide a free server 4. with battery heating tech, can be used in the cold area</p> <p>Lighting Mode: First Shours 100% brightness, then turn to 20% dim brightness until dawn (Neutral mode has no PIR. But the product can set the PIR through the APP and the computer.)</p>
		Li-ion Battery	461.76WH 14.8V	
		Solar Panel	17V/61.5W	
		Beam angle	65°x140°	
		Waterproof	IP65	
		Solar Charging Time	7hours by bright sunlight	
		Lighting Time	7-10days	
		Material	Aluminum alloy+PC	
		Size	1432*395*364.79mm	
		Warranty	3Year	
Model 80		LED	8000 lumens, 96pcs OSRAM chips	<p style="text-align: center;">Main Function:</p> <p>Main Function: 1. Control system developed independently; 2. 3.Simple networking, easy operation on APP and PC; 3.Cloud Service: Provide a free server 4. with battery heating tech, can be used in the cold area</p> <p>Lighting Mode: First Shours 100% brightness, then turn to 20% dim brightness until dawn (Neutral mode has no PIR. But the product can set the PIR through the APP and the computer.)</p>
		Li-ion Battery	615.68WH 14.8V	
		Solar Panel	17V/73.8W	
		Beam angle	65°x140°	
		Waterproof	IP65	
		Solar Charging Time	7hours by bright sunlight	
		Lighting Time	7-10days	
		Material	Aluminum alloy+PC	
		Size	1637*395*364.79mm	
		Warranty	3Year	
Model 100		LED	10000 lumens, 120pcs OSRAM chips	<p style="text-align: center;">Main Function:</p> <p>Main Function: 1. Control system developed independently; 2. 3.Simple networking, easy operation on APP and PC; 3.Cloud Service: Provide a free server 4. with battery heating tech, can be used in the cold area</p> <p>Lighting Mode: First Shours 100% brightness, then turn to 20% dim brightness until dawn (Neutral mode has no PIR. But the product can set the PIR through the APP and the computer.)</p>
		Li-ion Battery	769.6WH 14.8V	
		Solar Panel	17V/98W	
		Beam angle	65°x140°	
		Waterproof	IP65	
		Solar Charging Time	7hours by bright sunlight	
		Lighting Time	7-10days	
		Material	Aluminum alloy+PC	
		Size	1637*395*364.79mm	
		Warranty	3Year	

Item No.	Photo	Features & Specifications		Details
Model 120		LED	12000 lumens, 144pcs OSRAM chips	Main Function:
		Li-ion Battery	923.52WH 14.8V	
		Solar Panel	17V/110W	
		Beam angle	65°x140°	Main Function: 1. Control system developed independently; 2. 3.Simple networking, easy operation on APP and PC; 3.Cloud Service: Provide a free server 4. with battery heating tech, can be used in the cold area
		Waterproof	IP65	
		Solar Charging Time	7hours by bright sunlight	
		Lighting Time	7-10days	
		Material	Aluminum alloy+PC	Lighting Mode: First Shours 100% brightness, then turn to 20% dim brightness until dawn (Neutral mode has no PIR. But the product can set the PIR through the APP and the computer.)
		Size	1637*395*364.79mm	
Warranty	3Year			
Series 3				
Main Function: 1. Mode of shipment: SKD, low tariff; 2. FAS fault alarm function, convenient for maintenance; 3. Normal use in high temperature and extremely cold areas 4. ALS2.0 + VFT Technology for All Night Lighting even in Cloudy or Rainy Day." Application: Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base ---10 cloudy days still lighting..... " Main Material Aluminium alloy + Tempered Glass Can Stand Temperature -20C to 60C				
Model 42		LED	80W	Main function
		Solar Panel	18V/63.8W	
		LED	80W 5700K	
		Li-ion Battery	538.72 WH	1. Mode of shipment: SKD, low tariff; 2. FAS fault alarm function, convenient for maintenance; 3. Normal use in high temperature and extremely cold areas 4. ALS2.0 + VFT Technology for All Night Lighting even in Cloudy or Rainy Day.
		Solar Charging Time	10 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Mounting Height	8-10meters	
		Working Temperature Range	Charging Temperature 0°C ~ 45°C	Application: Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base
		Waterproof Grade	IP65	
Main Material	Aluminium alloy + Tempered Glass			
Overall Dimensions	1345*384.5*200.75mm	10 cloudy days still lighting		
Model 43		LED	120W	Main Function:
		Solar Panel	17.5V/78.8W	
		LED	120W 5700K	
		Li-ion Battery	769.6 WH/14.8V	1. Mode of shipment: SKD, low tariff; 2. FAS fault alarm function, convenient for maintenance; 3. Normal use in high temperature and extremely cold areas 4. ALS2.0 + VFT Technology for All Night Lighting even in Cloudy or Rainy Day.
		Solar Charging Time	10 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Mounting Height	10-12meters	
		Working Temperature Range	Charging Temperature 0°C ~ 45°C Discharging Temperature -20°C ~ 60°C	Application: Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base
		Waterproof Grade	IP65	
Main Material	Aluminium alloy + Tempered Glass			

Item No.	Photo	Features & Specifications		Details
Landscape Solar Lights				
Model -09		LED	20W 4000K	Main Function:
		Li-ion Battery	115.44 Wh	
		Solar Panel	16.2W 16V	
		Install Height	3M - 4M	
		Waterproof	IP 65	
		Solar Charging Time	9 hours by bright sunlight	
		Lighting Time	7 Nights +	
		Material	Aluminium Alloy + PC	
		Size	434.3*434.4mm	
Warranty	3 Years	Application: Courtyard/Garden/ Plaza/ Park/Tourist Zone/Street/Pathway etc		
Model -26		LED	60W, 4000K	Lighting Mode
		Li-ion Battery	462Wh	
		Solar Panel	60.9W	
		Install Height	10m	
		Waterproof	IP65	
		Solar Charging Time	9 hours by bright sunlight	
		Lighting Time	7 Nights+	
		Material	Aluminum Alloy+ABS	
		Size	1000*354.4mm	
Warranty	3 Years	First 5 hours 100% brightness(6000lm), then turn to 25% dim brightness(1500lm) until dawn Main Function: 1. TCS technology for battery safety; 2. ALS2.1 technology for lighting in any weather. 3. Bird Repeller 4. Battery-heating technology support working below 0°C 5. APP Bluetooth-easy change lighting mode		

Buildings Solar Lights

Item No.	Photo	Features & Specifications		Details
MODEL 12		LED	2000 lms, 4000k	Lighting Mode
		Li-ion Battery	3.7V 14.8WH	
		Solar Panel	Mono-Crystalline, 1W	
		Install Distance	3m	
		Waterproof	IP65	
		Solar Charging Time	11 hours	
		Lighting Time	5-6 days	
		Material	ABS+UV	
		Size	114*107*149mm	
Warranty	1 Year	M1 : 50+PIR (2000 lm) M2 : 0+PIR (2000 lm) M3:50lm Till dawn Application: Garden/Park/Square/Street /Pathway etc		
Model 15		LED	1000 lms, 4000k	Functions
		Li-ion Battery	3.7V 7.4WH	
		Solar Panel	Mono-Crystalline, 1W	
		Install Distance	1.6m	
		UV LED	UVC : 260-280nm/10000H/24mW	
		Waterproof	IP65	
		Solar Charging Time	10 hours	
		Lighting Time	>10 days	
		Control Mode	Button Switch, ON/OFF Long Press 1.5s	
Charging/Discharging Temp	0-40°C/20-60°C			
PIR	120°, >5m			
Material	ABS+UV			
Size	71.72*80.26*225mm			
Warranty	1 Year	*Super sterilization anytime anywhere. *Solar + USB plug charging *Multiply functions: Solar disinfect light-Solar Wall Light-Solar Portable Light As Wall Light : M1 : 20+PIR (1000 lm) / M2 : 0+PIR (1000 lm) As Portable Light : M1 : 20lm/M2 : 150lm Capacity Indication : Green : ≥70% ; Orange : 30%-70% ; Red : <30%		
Model 11		LED	1000 lms, 4000k	Lighting Mode
		Li-ion Battery	2000mah,3.7V	
		Solar Panel	0.5W	
		Install Distance	3-4m	
		Waterproof	IP65	
		Solar Charging Time	11 hours	
		Lighting Time	5-6 days	
		Material	ABS+UV	
		Size	55*72.5*90mm	
Warranty	1 Year	M1: 0+PIR(1000lm)10s M2 : 20lm+PIR(1000lm)10s ; M3:20lm till dawn Application: Garden/Park/Square/Street /Pathway etc		
Model 05S Pro		LED	1000 lms ,3000K	Main Function:
		Li-ion Battery	3.7V 2000mAH	
		Solar Panel	0.6W 4.5V	
		Install Height	2-3m	
		Waterproof	IP65	
		Solar Charging Time	7-9 hours	
		Lighting Time	5-6 days	
		Lamp color	Iron Grey	
		Material	Aluminum ally + PC	
Size	136.7*106.8*216MM			
Warranty	1 Year	1. Unique patent Arm design with super wide lighting area 2. Professional lighting distribution 3. ALS2.0 New technology support 6-8 rainy days lighting 4. US/EU /China appearance patent certificate Lighting Mode : M1:0+PIR 1000LM(10 seconds) M2:20LM+PIR 1000LM(10seconds)		

Item No.	Photo	Features & Specifications		Details
Model 06 Pro		LED	2000 lumens, 3000K	<p>Main Function:</p> <ol style="list-style-type: none"> 1. Aluminium Alloy Lamp Case, Strong and Durable 2. Patent Arm design with wide lighting area 3. Remote controller to choose 3 lighting modes and set timer 4. LED Indicator Show Battery Power : 10%, 50%, 80%. 5. ALS2.0 New technology support 6-8 rainy days lighting <p>M1: 60LM + PIR 2000LM (30S) M2: 120LM + PIR 2000LM(30S) M3: 200LM for 5 hours + 40LM with PIR (30S) until dawn;</p>
		Li-ion Battery	3.7V 5.2AH	
		Solar Panel	2W 5V	
		Install Height	3M	
		Waterproof	IP65	
		Solar Charging Time	7-9 hours by bright sunshine	
		Lighting Time	6-8 days	
		Lamp color	Silver	
		Material	Aluminium Alloy+PC	
		Size	199.3*190.2*377.2MM	
Warranty	2 Years			
Model 10		LED	10W	<p>Main Function:</p> <ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Li-ion Battery	3.7V 5.2AH	
		Solar Panel	2.65W	
		Install Height	2M ~ 4M	
		Waterproof	IP65	
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:180*150mm	
		Warranty	2 Years	
Model 30		LED	20W	<p>Main Function:</p> <ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Li-ion Battery	3.7V 10.4AH	
		Solar Panel	5.2W	
		Install Height	4M ~ 6M	
		Waterproof	IP65	
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:180*245mm	
		Warranty	2 Years	
Model 50		LED	50W	<p>Main Function:</p> <ol style="list-style-type: none"> 1. Indoor & outdoor lighting selection with separated solar panel 2. 3 led indicator remind battery capacity 3. Brightness and lighting time adjustable by remote controller 4. ALS2.0 New technology support 6-8 rainy days lighting 5. Professional lighting distribution for wide lighting area
		Li-ion Battery	3.7V 23.4AH	
		Solar Panel	14.3W	
		Install Height	4M ~ 6M	
		Waterproof	IP65	
		Solar Charging Time	8 hours by bright sunlight	
		Lighting Time	8 Nights +	
		Material	Aluminium alloy+ steel glass	
		Size	Solar panel:350*350mm Led:335*104mm	
		Warranty	2 Years	

Item No.	Photo	Features & Specifications		Details
Garden Solar Lights				
Model 15N		LED	100Lumens 3000K±300K	Main Function:
		Li-ion Battery	2000 mAh 3.7V	
		Solar Panel	1.6W 5.5V	
		Waterproof	IP 65	
		Solar Charging Time	7 hours by bright sunlight	
		Lighting Time	4 Nights +	
		Material	Aluminum + ABS	
		Size	264mm(H)*dia 160mm	
Warranty	2 Years	1. 2 lighting modes for choosing; 2. Warm White LED Color for Decoration; 3. Turn on at Night and Turn off at Day Automatically; M1: 5 hours 100 lumens + 25 lumens till dawn. M2: 50 lumens till dawn.		
Model 25N		LED	100Lumens 3000K±300K	Main Function:
		Li-ion Battery	2000 mAh 3.7V	
		Solar Panel	1.6W 5.5V	
		Waterproof	IP 65	
		Solar Charging Time	7-8 hours by bright sunlight	
		Lighting Time	4 Nights +	
		Material	Aluminum + ABS	
		Size	802mm(H)*dia 160mm	
Warranty	2 Years	1. 2 lighting modes for choosing; 2. Warm White LED Color for Decoration; 3. Turn on at Night and Turn off at Day Automatically; M1: 5 hours 100 lumens + 25 lumens till dawn. M2: 50 lumens till dawn.		
Model 07 Pro		LED	50 lms, 3000K	Lighting Mode
		Li-ion Battery	3.7V 800mAh	
		Solar Panel	0.6W	
		Install Distance	4-5m	
		Waterproof	IP65	
		Solar Charging Time	7-9 hours	
		Lighting Time	5-6 days	
		Material	Aluminum ally +Crystal Class	
Size	530mm*106mm*69.8mm	M1:100% 2h+80% 1h+60% 1h+40% 1h+30% 1h+20% till dawn M2:20lm till Dawn Application: Garden/Park/Square/Street /Pathway etc		
Warranty	1 Year			
Model 03		LED	3000 lumens 4000K	Main Function:
		Li-ion Battery	3.7V 10.4AH	
		Solar Panel	5W 4.5V	
		Install Height	3-5M	
		Waterproof	IP65	
		Solar Charging Time	7-9 hours by bright sunshine	
		Lighting Time	6-8 days	
		Lamp color	Silver	
		Material	Aluminium Alloy+PC	
		Size	127*221*355MM	
Warranty	3 Years			

www.newbits.ro